

# Laminated Absorbers

AEL-0.75

# SOLUTION FOR

- Test Boxes, Small Enclosures
- Wrapping Masts / Structures
- Shadowing Obstacles

# MAIN FEATURES

- Lightweight, Flexible, Wrappable
- Graded Dielectric Loading

# PRODUCT CONFIGURATION

# Shape

Flat

#### Frequency band

• From 400 MHz to 40 GHz and above

#### Standard base size

• 2' x 2' (60.96 cm x 60.96 cm)

#### Height

• 0.25" to 9" (0.6 cm to 22.9 cm)

#### **Operating conditions**

- Temperature: 70°F +/-5° (21°C +/-3°)
- Relative Humidity: 50% RH +/- 10%

#### Indoor/outdoor

Indoor


#### + Description


AEL series absorbers are high performance multi-layer, lightweight, flat, laminated radar absorbers. These products are made from open cell polyurethane foam layers which are specially impregnated and laminated with adhesives and latex. Consequently, the laminated absorber below 1" of thickness can be used to wrap around equipment or pipes and can be cut with a sharp blade or scissors, and bonded with contact adhesive for a strong, permanent bond. It is recommended to ask AEMI to pre-shape thicker laminated absorbers at the factory. The absorber should be backed by a reflective surface. For optimum performance, AEMI can provide an optional conductive backing, if requested.



#### ORDERING CODE

AEL-XX, where XX designates absorber height in inches





### Specifications

		AEL-0.25	AEL-0.375	AEL-0.75	AEL-1.125	AEL-2.25	AEL-4.5	AEL-9.0
Height	in	0.25	0.375	0.75	1.125	2.25	4.5	9.0
	cm	0.64	0.95	1.9	2.86	5.72	11.43	22.86
Design Frequency	GHz	> 18	> 7.5	> 3.5	> 2.5	> 1.3	> 0.6	> 0.4
Absorption @ Normal Incidence	dB	> -10	> -12	> -15	> -15	> -20	> -20	> -20
Weight	lbs/pc.	0.5	0.75	1.25	1.9	3.65	5.1	11.65
	kg/pc.	0.23	0.34	0.57	0.86	1.66	2.31	5.28
Max Power Handling information	ļ		0.77	75 kW/m² continuou	s and 1.5 kW/m² puls	sed		



For more information: www.mvg-world.com/absorbers

Contact us: <u>www.mvg-world.com/en/contact</u>



ntact us: