



VHF Wideband Dual Polarized Probe



© CNES 2013 - D. Belot

Typical 3D radiation pattern



SOLUTION FOR

- Spherical Near-Field
- Antenna VHF Measurements

Main features

Technical performance

- Wide bandwidth
- Dual linear polarization
- High efficiency
- Low return loss / VSWR

Design

- Aluminium lightweight panel
- High stiffness

Surface treatment

- Paint
- For indoor use

Repeatability

- Robust mechanical design
- Reliable cables and coaxial connectors

Delivered documents

- Measured return loss data

Product configuration

Equipment

- Probe
- Mechanical RF switch
- PoE switch
- Mounting flange


Related services

- Calibration and maintenance
- Outdoor installation customization
- Optical tool for accurate polarization alignment


■ Included □ Optional

Electrical characteristics

Part number	Type of antenna	Frequency range [MHz]	Polarization	Gain at center frequency [dBi]	Directivity [dBi]	VSWR	Return loss [dB]	Port to port isolation [dB]	Impedance [Ohms]
WDP50	Dual polarized probe	50 – 400	Dual Linear	7.5	1 to 9	< 1.9	< -10	> 25	50



Measured performances of 3 different WDP50 probes: the high performance repeatability is proven by the highly correlated plots




Radiated performances measured in 2 different Near-Field systems vs. simulation

Mechanical characteristics

Part number	Dimensions (L x H x W) [mm]	Weight (approx.) [kg]	RF Connector	Material	Color	Interface
WDP50	2026 x 1640 x 1437	75	SMA Female (N-type optional)	Aluminium EN AW-5754	Custom	Custom

Dimensional drawing [mm]



REFERENCES

- G. Le Fur, F. Cano-Facila, L. Duchesne, D. Belot, L. Feat, A. Bellion, R. Contreres, K. Elis. "Comparison of antenna measurement results in disturbed environment using a VHF spherical near field system". International Conference on Antenna Measurements & Applications; IEEE CAMA, Nov 2014.
- G. Le Fur, F. Cano-Facila, F. Saccardi, D. Belot, L. Durand, L. Duchesne, L.J. Foged, J-M Lopez, A. Bellion. "Improvement of antenna measurement results at low frequencies by using post-processing techniques," The 8th European Conference on Antennas and Propagation (EuCAP 2014), The Hague, 2014, pp. 1680-1684.
- G. Le Fur, F. Cano-Facila, L. Duchesne, D. Belot, L. Feat, A. Bellion, R. Contreres, K. Elis. "Uncertainty Analysis of Spherical Near Field Antenna Measurement System at VHF". Antenna Measurement Techniques Association; AMTA, Oct 2014, Tucson, United States
- G. Le Fur, F. Cano-Facila, L. Duchesne, D. Belot, L. Feat, A. Bellion, R. Contreres, K. Elis. "Investigations on probe phase center impact in antenna measurement results uncertainty for spherical Near Field systems," 2015 9th European Conference on Antennas and Propagation (EuCAP), Lisbon, 2015, pp. 1-4.



Contact your local sales representative for more information
salesteam@mvg-world.com
www.mvg-world.com